


**Notes:**

1. Do not scale from this drawing.
2. All dimensions must be checked on site and any discrepancies verified with landscape architect.
3. All dimensions are drawn in mm.
4. Landscape drawing only.
5. All materials/items used to be as specified or alternatives to be approved by landscape architect.



- KEY:**
- Site boundary
  - Existing tree planting  
Refer to 10406-LD-PLN-200 for works to existing trees + vegetation. All works to comply with BS:5837 (2012).
  - Existing levels  
Refer to Capital Survey's Site Survey 2483 series drawings dated 31/03/17
  - Proposed levels  
Refer to 10406-LD-PLN-302 for details on earthwork mounding and bunds across the site, (exact volumes and extents to be agreed with CA on-site)
  - Existing manhole/ gully  
Refer to Capital Survey's Site Survey 2483 series drawings dated 31/03/17, and KND Site Survey D28-15 dated 29/04/15 for further information
- SOFT LANDSCAPE**
- Proposed tree  
Refer to 10406-LD-PLN-304 for details
- SURFACES**
- Self-binding gravel footpath-pedestrian  
S01  
Coxwell gravel or similar. To pedestrian loading. Please refer to 10406-LD-DET-601\_S01 for more information.
  - New surface dressing to footpath  
S12  
Two layers, each 60mm thick to achieve a finished compacted depth of 60mm coxwell gravel surface dressing over to existing footpath. Please refer to 10406-LD-DET-601\_S01 for information on Coxwell.
- EDGING**
- 19mm timber edging  
E01  
Softwood pressure treated timber laid flush, 150x19mm. 50x50x500mm softwood pegs @ 0.5m centres / double peg corners. Please refer to 10406-LD-DET-602\_E01 for more information.
  - 38mm timber edging  
E02  
Softwood pressure treated timber laid flush, 150x38mm. 50x50x500mm softwood pegs @ 0.5m centres / double peg corners. Please refer to 10406-LD-DET-602\_E02 for more information.
- FURNITURE**
- Entrance sign  
F02a  
Nviro graphic panel affixed to powder coated steel frame, to match existing museum signage. Supplier: Fitzpatrick Woolmer. Please refer to 10406-LD-DET-606 for more information.
  - Litter bin  
F03  
Existing site litter bins to be relocated, as per PLN-202. Repainted black and root fixed to manufacturer's recommendation.
  - Interpretation board  
F10a  
n'viro graphic panel affixed to powder coated steel frame, to match existing museum site signage. Supplier: Fitzpatrick Woolmer. Refer to DET-605
  - Interpretation board  
F10b  
n'viro graphic panel affixed to bridge structures to match existing museum site signage. Supplier: Fitzpatrick Woolmer. Refer to DET-605

**Sheet Notes:**

Please read the adjacent plan in conjunction with the below:  
**10406-LD-PLN-200 Tree and Vegetation Clearance**  
**10406-LD-PLN-201 Demolition and Site Clearance**  
**10406-LD-PLN-301-5 Site Wide Plans**

**- Making Good:** the contractor is to make allowance to ensure all edges and joins with adjacent surfaces are made good, married into to existing levels, and with the appropriate surface/edging material, (e.g. timber edging to marry into existing edge type).

**- General Items:**  
Please refer to ALL necessary landscape construction details as indicated and required. Where not referenced, the contractor is responsible for the identification of relevant details (and specification clauses) to ALL work items across the site, and/or to notify the CA prior to commencement on-site.

Relocation/new proposed setting out: this is to be agreed on-site with the CA prior to commencement of works, unless stated otherwise. Allowance is to be made for ALL relocated items to have new footings/surface pads installed under CA direction.

Contractor is responsible for ALL necessary protection of existing trees and vegetation to be retained, (in line with BS: 5837 2012). Full Arboricultural Impact Assessment and details of tree protection can be found in 1057-02/1 - 5 by SJ Stephens.

All construction works are to be carried out in accordance with the latest statutory guidance, building regulations and national building specification standards. N.B. SM consent to be observed.

Contractor is to follow standard practices and provide method/access statements for the excavation of all watercourse items in accordance with the Engineers' drawings and details.

The contractor is to make allowance for appropriate surveying (e.g. CAT scan etc.) to areas where break out is required - in accordance with HSE regulations. Where existing services are discovered and not previously surveyed, the contractor is to down tools and notify the client and CA for further instruction.

Alignment of new path junction to existing - to be agreed on-site with CA prior to commencement, (contractor to set out for approval)

#	Date	Revision	By	App
1	12.03.19	Second Issue	LUC	AW
2	07.02.19	First Issue	LUC	AW

**LUC** 43 Chalton Street  
London, NW1 1JD  
T: 020 7383 5784  
F: 020 7383 4798  
london@landuse.co.uk  
www.landuse.co.uk

Project  
**Headstone Manor Park**

Client  
**London Borough of Harrow**

Title  
**Detail Area:  
Headstone Lane West Entrance**

Scale  
**1:125 @ A1**

Status  
**Tender**

Job No. **10406** Drawing No. **10406-LD-PLN-408** Issue **B**

Do not scale from this drawing  
© Drawing & Design Copyright of LUC